



Compact 3-in-1 mono laser printer

DCP-L2510D



PRINT



COPY



SCAN

www.brother.eu

General

Technology

Electrophotographic
Laser Printer

Laser Classification

Class 1 Laser Product
(IEC60825-1:2014)

Processor

600MHz

Memory

64MB

Local Interface

Hi-Speed USB 2.0

Control Panel

2 Line, 16 character
LCD Display

Print

Print Speed Standard (A4)

Up to 30ppm
(pages per minute)

Print Speed 2-Sided (A4)

Up to 15 sides per minute
(8 sheets per minute)

Resolution

Up to 1,200 x 1,200dpi

Quiet Mode

A mode to reduce the printing
noise by reducing the print
speed to 13ppm

Automatic 2-Sided Printing

Print on to both sides of the
paper

FPOT (First Print Out Time)

Less than 8.5 seconds from
ready mode

Warm Up Time

Less than 9 seconds from sleep
mode

Print Languages

GDI

Printer Functions

N-up Printing³

Reduce up to 2, 4, 9, 16
or 25 A4 pages into just
one A4 page
(Mac, up to 2, 4, 6, 9, or 16)

Poster Printing⁴

Enlarge 1 A4 page into a poster
using 4, 9, 16 or 25 A4 pages

Watermark Printing⁴

Watermark your documents
with predefined text or with your
own user-defined messages

ID Printing⁴

Add identification to your
printed documents (date & time,
short custom message or
PC username)

Manual 2-Sided Print⁴

Manual 2-sided printing
(recommended for media not
supported by automatic
2-sided print)

Booklet Printing⁴

Print documents in A5
booklet format using automatic
or manual 2-sided print

Skip Blank Page⁴

Ignores any blank pages in your
documents by not printing
them

Print Profiles³

Store your favourite driver
settings as profiles to easily
recall them

Print Text In Black⁴

Converts all text in your
documents to black when
printed

Print Archive⁴

An electronic carbon copy
feature that saves an electronic
copy of all printed documents
as a PDF file

Printer Driver

Windows[®]

Windows[®] 10
(32 & 64 bit editions)
Windows[®] 8
(32 & 64 bit editions)
Windows[®] 7
(32 & 64 bit editions)

Macintosh⁵

macOS 10.8.x or greater

Linux⁵

CUPS, LPD/LPRng
(32 & 64 bit editions)

Standard Paper Handling

Paper Input²

Standard Tray - 250 sheets
Manual feed slot - 1 sheet

Paper Output²

Face Down - 120 sheets
Face Up
(Straight Paper Path) - 1 sheets

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m² paper.

3 Windows[®] & Mac[®] only.

4 Windows[®] only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother software.

All specifications correct at the time of
printing and are subject to change.

Brother is a registered trademark of Brother
Industries Ltd. Brand product names are
registered trademarks or trademarks of their
respective companies.

Media Specification

Media Types & Weights Standard

Plain & recycled paper
(between 60 - 163g/m²)

Manual feed slot

Plain, Recycled, Bond,
Label, Envelope,
(between 60 - 230g/m²)

2-sided Print

Plain & recycled paper
(between 60 - 105g/m²)

Envelope & Label Printing

Yes, from the Manual feed slot:
support for 1 envelope / sheet

Media Sizes

Standard Tray

A4, Letter, A5, A5 (Long Edge),
A6, Executive

Manual feed slot

Width: 76.2mm to 215.9mm x
Length: 127mm to 355.6mm

2-sided Print

A4

Copy

Speed - (A4)

Up to 30cpm
(copies per minute)

FCOT (First Copy Time Out)

Less than 10 seconds from
ready mode

Resolution

Up to 600 x 600dpi

Multi-Copying/Stack/Sort

Makes up to 99 copies of each
page / Stacks or Sorts

Enlargement/Reduction Ratio

Reduce or Increase document
sizes from 25% to 400% in 1%
increments

N in 1 Copying

Allows the user to compress 2
or 4 pages on to a single A4
sheet

2in1 ID Copying

Allows the user to copy both
sides of an ID card to a single
A4 sheet

Grey Scale

256 shades of grey (8 bit)

Receipt Copying

Produces clearer copies of
receipts

Scan

Scanner Type

CIS (Contact Image Sensor)

Colour & Mono Scanning

Yes

Scan Speed Mono

23.6 ipm (ADF)

Scan Speed Colour

7.7 ipm (ADF)

Scan Resolution from Scanner Glass

Up to 1,200 x 1,200dpi

Interpolated Scan

Resolution

Up to 19,200 x 19,200dpi

Colour Depth

16,777,216 colour variations
(24 bit)

Grey Scale

256 shades of grey (8 bit)

Standard Functions⁷

Scan to E-mail, OCR, Image
& File

Scan Features

Remove Background, Skip
Blank Page⁴, ID Scan⁴, 1 to 2
Scan⁴, Split PDF

Scan to SharePoint⁷

Scan documents directly into
SharePoint

Windows® Web Services Scanning

Scan direct into Windows®
(from Windows® 7 & onwards)
without needing to install a
scanner driver

Scanner Driver

Windows®

Windows® 10
(32 & 64 bit editions)
Windows® 8
(32 & 64 bit editions)
Windows® 8
(32 & 64 bit editions)

Macintosh⁵

macOS 10.8.x or greater

Linux⁵

SANE(32 & 64 bit editions)

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother software.

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

